		+
	Application No.	Applicant(s)
Notice of Allowability	10/718,530	SCHWARTZ ET AL.
	Examiner	Art Unit
	Katherine W. Mitchell	3677
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communicatior GHTS. This application is subject to	plication. If not included not included the mailed in due course. THIS
1. This communication is responsive to 6/30/2006.		
2. X The allowed claim(s) is/are 53-61.		
 3. Acknowledgment is made of a claim for foreign priority un a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents 	been received. been received in Application No	
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" on noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be submi INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") mus	t be submitted.	
(a) including changes required by the Notice of Draftsperso	on's Patent Drawing Review (PTO-	948) attached
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Paper No./Mail Date	: Amendment / Comment or in the C	Office action of
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the		
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT F 	sit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the AL MATERIAL.
Attachment(s)	· ·	
1. Notice of References Cited (PTO-892)		Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary Paper No./Mail Da	
 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08) Paper No./Mail Date 6/30/2006 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material 		
	8. Examiner's Stateme	ent of Reasons for Allowance
	9. Other	
	L/Muhholf	

Application/Control Number: 10/718,530

Art Unit: 3677

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John Preda on 8/15/2006.

2. The application has been amended as follows:

In the Claims:

Claim 59 has been amended to depend from claim 58.

New claim 61 has been added:

- --61. The arrangement of claim 59, wherein the securing ring is adapted to engage with the circumferential retaining groove. --
- 3. The following is an examiner's statement of reasons for allowance:

Applicant has amended the claims to now reflect the embodiment of Figures 3A and 3B, which examiner has agreed to examine. An updated search in class 16, sub 2.1 found US 5103529, US 6588820, and US 3801209 teaching vibration damping inserts, but they fail to teach or make obvious that there is a vibration damping ring and an additional vibration damping material fixed to the annular surface of the second end of the hollow cylinder, and further there is no motivation to provide holding elements extending outwardly from an outer surface of the cylindrical member adapted to secure the cylinder member in a component opening, since the cited references are not

Application/Control Number: 10/718,530

Art Unit: 3677

adapted to have the hollow cylindrical member secured to a component opening.

Numerous references, including US 2663895 teach outward projections for holding a bushing in an opening, but the combination as claimed is not taught or obvious.

Previously-applied Roth and Radke do not have the outward projections, and further:

Radtke's ring does not extend past the 1st and 2nd cylinder ends while also teaching material fixed to the annular surface of the cylinder's 2nd end

Roth's ring does extend past the 1st and 2nd cylinder ends but cannot then be considered to also have a material fixed to the annular surface of the cylinder's 2nd end.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Katherine W. Mitchell whose telephone number is 571-272-7069. The examiner can normally be reached on Mon - Thurs 10 AM - 8 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, J. J. Swann can be reached on 571-272-7075. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/718,530 Page 4

Art Unit: 3677

5. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Katherine W Mitchell Primary Examiner Art Unit 3677

Mohlel

Kwm 8//15/2006